





THREADED LEVELING GLIDES



1-4 Light Duty, (Non-Swivel & Free-Turning) threaded glides are designed for light duty applications. Zinc plated stud and plastic base with nickel plated steel shell for improved appearance (black plastic base has a black oxide shell). Also available with a PVC base (-PVC) and a gray rubber base (-GR). The IL9-CAST is made to replace caster wheels on tables and chairs. More caster glides are shown at the end of this section.



7-Light Duty, (Non-Swivel), Black Vinyl Base threaded glides have a zinc plated steel stud and non-skid, non-marring base.



8-Light Duty, (Non-Swivel), Steel Base threaded glides have a plastic cushion inside the nickel plated steel base which reduces noise. The stud is zinc plated. Steel based glides slide easily on carpet.



Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

1-Metric Light Duty, (Non-Swivel) Plastic Base

IL9-M6H	M6x1.0	YES	1-3/8	1	3/4	White
IL9-M8H	M8x1.25	YES	1-3/8	1	3/4	White
IL9-M10H	M10x1.50	YES	1-3/8	1	3/4	White
IL9-M10Hx38	M10x1.50	YES	1-3/8	1-1/2	3/4	White

5-Metric Light Duty, (Swivel), Plastic Base

IL13-M6x25	M6x1.0	YES	1-1/8	1	5/8	White
IL13-M8x25	M8x1.25	YES	1-1/8	1	5/8	White
IL13-M8x38	M8x1.25	YES	1-1/8	1-1/2	5/8	White
IL13-M10x25	M10x1.50	YES	1-1/8	1	5/8	White
IL13-M10x38	M10x1.50	YES	1-1/8	1-1/2	5/8	White

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

7-Metric Light Duty, (Non-Skid), Black Vinyl Base

IL15-M6	M6x1.00	NO	1-1/8	1	3/8	Black
IL15-M8	M8x1.25	NO	1-1/8	1	3/8	Black
IL15-M8x38	M8x1.25	NO	1-1/8	1-1/2	3/8	Black
IL15-M10	M10x1.50	NO	1-1/8	1	3/8	Black
IL15-M10x38	M10x1.50	NO	1-1/8	1-1/2	3/8	Black

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

8-Light Duty, Metric Steel Base (with Black Plastic Cushion)

IL16-M6x10	M6x1.0	NO	7/8	3/8	7/16	Steel
IL16-M6x25	M6x1.0	NO	7/8	1	7/16	Steel
IL17-M8x25	M8x1.25	NO	1-1/16	1	7/16	Steel
IL17-M10x25	M10x1.50	NO	1-1/16	1	7/16	Steel
IL18-M6x25	M6x1.0	NO	1-1/4	1	7/16	Steel
IL18-M8x25	M8x1.25	NO	1-1/4	1	7/16	Steel
IL18-M10x25	M10x1.50	NO	1-1/4	1	7/16	Steel


Threaded Sliders - Metric

P/N	A Dia.	Base Height	Thread Length	Thread	1-99	100-249
IL15-M6-SLDR	7/8	1/4	1" (25mm)	M6X1.0	\$1.85	\$1.67
IL15A-M8-SLDR	1-1/8	1/4	1" (25mm)	M8X1.25	\$2.25	\$2.03
IL15A-M10-SLDR	1-1/8	1/4	1" (25mm)	M10X1.50	\$2.45	\$2.21




Threaded Fixed Base Leveling Glides


18C-Metric Light Duty, Fixed Nylon Base threaded glides have a black, non-swivel base and black nylon top. The metric steel stud is zinc plated and has a top slot.



18D-Metric Light Duty, Fixed Rubber Base threaded glides have a black, non-swivel rubber base made of TPR (thermo-plastic rubber) which provides a non-skid, non-marring surface. The metric steel stud is zinc plated and has a top slot.



18E-Metric Light Duty, Fixed PTFE Base threaded sliders allow easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated metric stud with a top slot.




Part Nbr.	Thread	Hex	A	B	C	Base
18C-Metric Fixed Nylon Base Glides						
IL31B-M6X12-N	M6 X 1.0	YES	1-3/8	½	7/8	BLACK
IL31B-M6X25-N	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-N	M8 X 1.25	YES	1-3/8	½	1	BLACK
IL31B-M8X25-N	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-N	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-N	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-N	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-N	M10 X 1.50	YES	1-3/8	2	1	BLACK
18D-Metric Fixed Rubber Base Glides						
IL31B-M6X12-R	M6 X 1.0	YES	1-3/8	½	7/8	BLACK
IL31B-M6X25-R	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-R	M8 X 1.25	YES	1-3/8	½	1	BLACK
IL31B-M8X25-R	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-R	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-R	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-R	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-R	M10 X 1.50	YES	1-3/8	2	1	BLACK
18E-Metric Fixed PTFE Slider Base Glides						
IL31B-M6X12-PTFE	M6 X 1.0	YES	1-3/8	½	7/8	BLACK
IL31B-M6X25-PTFE	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-PTFE	M8 X 1.25	YES	1-3/8	½	1	BLACK
IL31B-M8X25-PTFE	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-PTFE	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-PTFE	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-PTFE	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-PTFE	M10 X 1.50	YES	1-3/8	2	1	BLACK




Threaded Fixed Base Leveling Glides

18F-Metric Light Duty, Fixed Steel Base threaded glides have a black nylon top above the steel base. The metric stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18G-Metric Light Duty, Fixed Felt Base threaded glides (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded metric stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.




Part Nbr.	Thread	Hex	A	B	C	Base
18F-Metric Fixed Steel Base Glides						
IL31B-M6X12-S	M6 X 1.0	YES	1-3/8	½	7/8	BLACK
IL31B-M6X25-S	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-S	M8 X 1.25	YES	1-3/8	½	1	BLACK
IL31B-M8X25-S	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-S	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-S	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-S	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-S	M10 X 1.50	YES	1-3/8	2	1	BLACK
IL31B-62-F	3/8-16	YES	1-3/8	2	1	BLACK
18G-Metric Fixed Felt Base Glides						
IL31B-M6X12-F	M6 X 1.0	YES	1-3/8	½	7/8	BLACK
IL31B-M6X25-F	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-F	M8 X 1.25	YES	1-3/8	½	1	BLACK
IL31B-M8X25-F	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-F	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-F	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-F	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-F	M10 X 1.50	YES	1-3/8	2	1	BLACK




Threaded Swivel Base Leveling Glides


18C-Metric Light Duty, Swivel Nylon Base threaded glides have a black, swivel base and black nylon top. The metric steel stud is zinc plated and has a top slot.



18D-Metric Light Duty, Swivel Rubber Base threaded glides have a black, swivel rubber base made of TPR (thermo-plastic rubber) for non-skid, non-marring support. The metric steel stud is zinc plated and has a top slot.



18E-Metric Light Duty, Swivel PTFE Base threaded sliders allow for easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated metric stud with a top slot.



Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

18H-Metric Swivel Nylon Base Glides

IL31C-M6X12-N	M6x1.0	YES	1-3/8	½	7/8	BLACK
IL31C-M6X25-N	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X12-N	M8x1.25	YES	1-3/8	½	1	BLACK
IL31C-M8X25-N	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-N	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X25-N	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X38-N	M10x1.5	YES	1-3/8	1-1/2	1	BLACK

18J-Metric Swivel Rubber Base Glides

IL31C-M6X12-R	M6x1.0	YES	1-3/8	½	7/8	BLACK
IL31C-M6X25-R	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X12-R	M8x1.25	YES	1-3/8	½	1	BLACK
IL31C-M8X25-R	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-R	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X25-R	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X38-R	M10x1.5	YES	1-3/8	1-1/2	1	BLACK


18K-Metric Swivel PTFE Slider Base Glides

IL31C-M6X12-PTFE	M6x1.0	YES	1-3/8	½	7/8	BLACK
IL31C-M6X25-PTFE	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X12-PTFE	M8x1.25	YES	1-3/8	½	1	BLACK
IL31C-M8X25-PTFE	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-PTFE	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X25-PTFE	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X38-PTFE	M10x1.5	YES	1-3/8	1-1/2	1	BLACK




Threaded Swivel Base Leveling Glides

18L-Metric Light Duty, Swivel Steel Base threaded glides have a black nylon top above the steel base. The metric stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18M-Metric Light Duty, Swivel, Felt Base threaded glides (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded metric stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts



Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

18L-Metric Swivel Steel Slider Base Glides

IL31C-M6X1/2-S	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X1-S	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X1/2-S	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X1-S	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-S	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X1-S	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X15-S	M10x1.5	YES	1-3/8	1-1/2	1	BLACK

18M-Metric Swivel Felt Slider Base Glides

IL31C-M6X1/2-F	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X1-F	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X1/2-F	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X1-F	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-F	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X1-F	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X15-F	M10x1.5	YES	1-3/8	1-1/2	1	BLACK



INTERNATIONAL EQUIPMENT COMPONENTS, INC.


Phone: **562.597.4533** eMail: **sales@iec-corp.com**

Web: **www.levelingmounts.com & www.iec-corp.com**

LIGHT DUTY METRIC

THREADED GLIDES

19-Light Duty, (Molded Hex), Black Plastic Base These *glides* feature a hex molded into the base which allows the base to be low profile.



20A-Threaded Felt Pads IEC's *threaded felt pads* or IEC's wood screw felt pads (see Nail Glide section) provide floor protection and reduce noise. The threaded stud allows for leveling adjustment to reduce table and chair wobble. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.






(20A-Threaded Felt Pads)

26-Light Duty, Black, Plastic Base Hex Glides These *hex glides* are offered with a 1/4-20, 5/16-18 and 3/8-16 thread size. The 5/16-18 and metric sizes have a top end slot.



(IL39-4Bx15) (IL39-5Bx15-SL)



Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

19-Metric Round Molded Hex Glides

IL32-M8Bx38-SL	M8x1.25	YES	1-1/4	1-1/2	3/8	BLACK
IL32-M10Bx38-SL	M10x1.50	YES	1-1/4	1-1/2	3/8	BLACK

20A - Metric Threaded Felt Pads - Brown

Part Nbr.	Dia	Felt Thk.	Base Ht.	Thread	1-99	100-249
IL33C-M6B-FELT	1	5/16	1/2	M6x1.0	\$1.49	\$1.35
IL33C-M8B-FELT	1	5/16	1/2	M8x1.25	\$1.57	\$1.42
IL33C-M10B-FELT	1	5/16	1/2	M10x1.50	\$1.66	\$1.50

Thread length is 1" (25mm) for the metric threaded felt pads.

20A - Metric Threaded Felt Pads - White

Part Nbr.	Dia	Felt Thk.	Base Ht.	Thread	1-99	100-249
IL33C-M6W-FELT	1	5/16	1/2	M6x1.0	\$1.54	\$1.40
IL33C-M8W-FELT	1	5/16	1/2	M8x1.25	\$1.62	\$1.47
IL33C-M10W-FELT	1	5/16	1/2	M10x1.50	\$1.71	\$1.55

Thread length is 1" (25mm) for the metric threaded felt pads.

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

26-Metric Plastic Hex Glides

IL39-M8Bx38-SL	M8x1.25	YES	1	1-1/2	1/4	BLACK
IL39-M10Bx38-SL	M10x1.25	YES	1	1-1/2	1/4	BLACK

27-Medium Duty, Zinc Plated, Steel Hex Glides These *hex glides* are low profile and can handle heavy loads. Some sizes are available with a slot (-SL). Also available with top hex and slot (-HX-SL) Available with a gray polyethylene cap that fits over the hex, (-CAP). Limited offering in metric sizes.

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

27-Steel Hex Glides - Metric

IL40-M6x30	M6x1	YES	9/16	1	3/32	ZINC
IL40-M8x25	M8x1.25	YES	3/4	1	7/64	ZINC
IL40-M8x40-SL	M8x1.25	YES	3/4	1-1/2	7/64	ZINC
IL40-M10x35	M10x1.50	YES	7/8	1-1/4	9/64	ZINC
IL40-M10x40-SL	M10x1.50	YES	7/8	1-1/2	9/64	ZINC
IL40-M10x60	M10x1.50	YES	7/8	2-3/8	9/64	ZINC
IL40-M10x65-SL	M10x1.50	YES	7/8	2-1/2	9/64	ZINC
IL40-M12x65	M12x1.75	YES	1-1/16	2-1/2	11/64	ZINC

30-Light Duty, Nickel Plated, Slotted Swivel Glides These *swivel glides* have a white plastic base with a nickel plated shell. The stud swivels 20° from the centerline. The top slot is standard but may also be ordered with a top hex and slot (-HX-SL).

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

30-Metric Slotted Swivel Glides

IL43-M8x38-HX-SL	M8x1.25	YES	1-1/2	1-1/2	5/8	NICKEL
IL43-M10x38-HX-SL	M10x1.50	YES	1-1/2	1-1/2	5/8	NICKEL

NOTE: Part Numbers with a "-HX" have a top hex on stud.